



JODHPUR AIIMS

Memory Based Questions

1. False sensory perception not associated with real external stimuli is called
  - a. Concrete thinking
  - b. Delusion
  - c. Illusion
  - d. Hallucination
2. During blood transfusion the most important nursing responsibility is
  - a. Draw a sample from the patient before each unit is transfused
  - b. Warm the blood to body temperature to prevent chilling
  - c. Run the blood at a slower rate during the first few minutes of the transfusion
  - d. Maintain patency of the IV catheter with dextrose solution
3. Kit supplied at sub centre is
  - a. Kit E
  - b. Kit M
  - c. Kit K
  - d. Kit B
4. A patient in the emergency department has an endotracheal tube in place and is on the ventilator. His relative comes running to you telling you that the patient has pulled the tube out of his mouth. What would be your next step?
  - a. Apply face mask with high flow oxygen
  - b. Sit the patient up and consider chest physiotherapy to get the secretions out
  - c. Reinsert the tube immediately under sedation
  - d. Pull the tube out completely, bag and mask the patient and assess spontaneous breathing efforts
5. A phenomenon during therapeutic nurse client relationship when the client unconsciously attributes (or transfers) to the nurse feelings and behavioral predispositions formed towards a person from his or her past is
  - a. Resistance
  - b. Boundary violation
  - c. Transference
  - d. Counter transference
6. A nurse in the labor room performing vaginal assessment on a pregnant client in labor and notes the presence of the umbilical cord protruding from uterus. What would be the initial nursing action
  - a. Gently push the cord into the vagina
  - b. Place the client in Trendelenburg's position
  - c. Perform vaginal exam to note the presentation
  - d. Notify the staff that the client will be transported immediately to delivery room
7. The term used to describe the discharges from the uterus during the puerperium and has an alkaline reaction is
  - a. Vaginal discharge
  - b. Puerperal discharges
  - c. Amniotic secretions
  - d. Lochia
8. Look at the picture and identify
 
  - a. Laryngeal mask airway
  - b. Oxygen mask
  - c. Endotracheal tube
  - d. Single lumen airway
9. The normal rate of cervical dilation in the active phase of first stage of labor in a primigravida is
  - a. 0.5 cm/hr
  - b. 2 cm/hr
  - c. 1 cm/hr
  - d. 1.5 cm/hr
10. Which of the following is not a mood stabilizing agent
  - a. Fluoxetine
  - b. Lithium carbonate
  - c. Valproic acid
  - d. Clonazepam
11. A client with schizophrenia has been started on medication therapy with clozapine. The nurse would assess the results of which laboratory study to monitor for adverse effect of this medication
  - a. Liver function studies
  - b. Blood glucose level
  - c. White blood cell count
  - d. Platelet count
12. What should be added to normal saline which is connected to arterial line measuring invasive blood pressure
 

a. Potassium	c. Heparin
b. Protamine	d. Calcium
13. Each community development block should have
  - a. One community health center
  - b. Four community health center
  - c. Three community health center
  - d. Two community health center
14. During a dressing change, inspection of the wound reveals what appears to be reddish pink tissue in the wound. The nurse interprets this as
  - a. Exudate
  - b. Granulation tissue
  - c. Eschar
  - d. A sign of infection

15. The doctor has ordered 500 ml 5% dextrose to be administered for 5 hours. It should be administered using a burette set. The nurse has to set the drops per minute to deliver the appropriate amount. Calculate the flow rate
  - a. 100 microdrops per minute
  - b. 80 microdrops per minute
  - c. 100 macrodrops per minute
  - d. 80 macrodrops per minute
16. All of the following, for women with breech presentation at term seeking vaginal breech delivery is true EXCEPT
  - a. Diagnosing breech presentation for the first time in labour is a contraindication to vaginal breech delivery
  - b. Continuous electronic fetal heart rate monitoring should be offered to women with breech presentation in labour
  - c. Vaginal breech delivery should be conducted in presence of a person skilled in the conduct of labour with breech presentation
  - d. Vaginal breech delivery should take place in a hospital with facilities for emergency caesarean section
17. A nurse is monitoring manometer for CVP value from a central line inserted via the brachial vein. CVP line inserted in a patient in ICU on face mask with oxygen. For correct reading she should record the value at
  - a. She should disconnect the manometer just before reading
  - b. Either is correct
  - c. End expiration
  - d. End inspiration
18. While assessing a patient's cranial nerves, the nurse asks the patient to raise the eyebrows, smile and show the teeth to assess which cranial nerve
  - a. Vagus
  - b. Olfactory
  - c. Facial
  - d. Optic
19. A women using diaphragm for contraception should be instructed to leave it in place for at least how long after intercourse
  - a. 6 hours
  - b. 12 hours
  - c. 1 hour
  - d. 28 hours
20. Look at the picture and identify the procedure usually done in a labor room
 
  - a. NST
  - b. Color doppler
  - c. ECG
  - d. Amniocentesis
21. Order is 180mg of cefotaxime intravenously. Available form is 500mg/5ml. what is the amount of medication to be administered using a 2ml syringe with 10 divisions per ml
  - a. 8 divisions
  - b. 18 divisions
  - c. 12 divisions
  - d. 1.8 divisions
22. A 40-year-old unconscious patient is brought to the casualty following road traffic crash. His blood pressure was 80/60 mm of Hg. What will you do first
  - a. Protect airway
  - b. Start vasopressors
  - c. CT scan Head
  - d. Infuse 2 litres of crystalloids
23. Which of the following is considered the fifth vital sign in emergency department
  - a. Motor response
  - b. Response to pain
  - c. Verbal response
  - d. Pupillary reaction to light
24. A resident has given a top of epidural infusion of 3 mg morphine with 10 ml of 0.1% ropivacaine. Which of the following symptom requires immediate action
  - a. Bladder bowel incontinence
  - b. Confusion
  - c. Fast pounding pulse
  - d. Hallucinations
25. During ward rounds, you find that a 24 year old patient with mania is very abusive and aggressive; there is imminent danger of his becoming physically assaultive. What do you should NOT do
  - a. Avoid reassuring touching of the patient
  - b. Confront him
  - c. Keep a safe distance from him
  - d. Use of clear language
26. A patient with a diagnosis of urosepsis has been admitted to the ward. You have been asked to start noradrenaline for hypotension. What is the normal route of administration
  - a. Wide bore cannula in the posterior tibial vein
  - b. Peripheral cannula
  - c. Wide bore cannula placed in the brachial vein
  - d. Central venous line in the subclavian vein
27. The nurse is caring for a child with sickle cell anaemia. To prevent thrombus formation in capillaries, as well as other problems from stasis and clotting of blood in the sickling process, the nurse should
  - a. Administer oxygen
  - b. Increase fluids by mouth and use a humidifier
  - c. Encourage the child to maintain bed rest
  - d. Administer prescribed anticoagulants
28. Neural tube defects can be prevented by
  - a. Supplementation with hydantoin
  - b. Supplementation with vitamin B complex

- c. Maternal folate supplementation  
 d. Prophylaxis with valproic acid
29. A hypothermic neonate is airlifted from snowing gulmarg and is admitted in NICU. The attending nurse is asked to record the core temperature by the attending doctor while he is busy resuscitating another child. Which area would be most accurate of the core temperature
    - a. Axillary
    - b. Forehead skin
    - c. Oral temperature
    - d. Tympanic membrane
  30. A client is receiving IV fluids and develops tenderness, erythema and pain at the site. The nurse suspects which of the following
    - a. Fluid overload
    - b. Sepsis
    - c. Phlebitis
    - d. Infiltration
  31. A patient have Difficulty in smelling, nurse assess for which cranial nerve
    - a. Cranial nerve I
    - b. Cranial nerve II
    - c. Cranial nerve III
    - d. Cranial nerve IV
  32. All are types of haemolytic anemia EXCEPT
    - a. Iron deficiency anemia
    - b. Thalassemia
    - c. Spirosis
  33. Nursing care in extrophy of bladder
    - a. Dressing with normal saline
    - b. Dressing with petroleum jelly
    - c. Place clean plastic wrap
  34. In which stage there are formation of blisters
    - a. Stage I
    - b. Stage II
    - c. Stage III
    - d. Stage IV
  35. Common position in a child with tetralogy of Fallot
    - a. Squinting
    - b. Prone
    - c. Supine
    - d. Side lying
  36. Perineal muscle at the root of vagina and perineum is
    - a. Bulbospongiosus muscle
  37. Commonest site used for IM injection in infant is
    - a. Vastus latrelis
    - b. Gluteal muscle
    - c. Deltoid
    - d. Biceps
  38. Angle used for giving IM injection is
    - a. 45 degree
    - b. 90 degree
    - c. 30 degree
    - d. 120 degree
  39. Look at the picture and identify
 
    - a. Episiotomy scissor
    - b. Alies forcep
  - c. Bebcob
  - d. Tooth forcep
  40. Doctor ordered 0.35 mg and available drug is 0.25 mg per ml. what is the amount of drug should be given
    - a. 1.4 ml
    - b. 0.4 ml
    - c. 1.8 ml
    - d. 2.4 ml
  41. Normal pH range is
    - a. 7.35-7.45
    - b. 7.25-7.35
    - c. 7.45-7.55
    - d. 7.15-7.25
  42. A patient complaining nausea after having food. It is which type of data
    - a. Subjective
    - b. Objective
    - c. Personal
    - d. None of them
  43. A farmer came in emergency room with BP 80/60 mm of Hg and history of vomiting. Symptoms indicating
    - a. Severe dehydration
    - b. Anaphylactic shock
    - c. Mild dehydration
    - d. Renal failure
  44. First day of menstrual cycle is 14 august. The EDD according to negeles is
    - a. 21 may
    - b. 14 june
    - c. 21 june
    - d. 14 may
  45. A unconscious child came to you with dehydration, the nurse do first
    - a. Start IV infusion of RL
    - b. Reassure the parents
    - c. Give ORS to the child
  46. 0.45% normal saline is the
    - a. Hypotonic
    - b. Isotonic
    - c. Hypertonic
    - d. Colloid
  47. You are giving dextrose 50% to a patient IV, all are complications EXCEPT
    - a. Edema
    - b. Renal failure
    - c. Hyperglycemia
    - d. Thrombophlebitis
  48. We will assess which lab value in renal failure patient
    - a. Serum creatinine
    - b. Serum calcium
    - c. Serum magnesium
    - d. Serum chlorine
  49. In the following is not a complication of giving potassium chloride Intravenous
    - a. Phlebitis
    - b. Hyperkalemia
    - c. Numbness
    - d. Constipation
  50. A patient receiving continuous salbutamol nebulization therapy. Nurse assess for
    - a. S. calcium
    - b. S. potassium
    - c. S. magnesium
    - d. S. sodium
  51. You will use which solution for spillage of blood on the floor
    - a. Chloride mixed solution
    - b. Phenol mixed
    - c. Cidex
    - d. Formaline
  52. Which is the Long acting insulin
    - a. Glargine
    - b. NPH
    - c. Regular
    - d. Lispro
  53. Cation present mostly in plasma is
    - a. Sodium
    - b. Potassium



- c. Calcium                      d. Magnesium  
 54. The diameter (size) of shown picture is starts from




- a. 5 mm                      b. 4.7 mm  
 c. 4.3 mm                  d. 5.3 mm  
 55. A 60 kg patient ordered IV Amikacin 25mg/kg body weight/per day. After dividing in two parts the accurate single dose is  
 a. 750 mg                  b. 650 mg  
 c. 700 mg                  d. 450 mg  
 56. In Chest tube drainage system there is fluctuations in water seal chamber with respiratory efforts. Nurse assess for  
 a. Kinking of chest tube  
 b. Normal process  
 c. Air leaking  
 d. None of them  
 57. There is no oscillation seen in drainage system. The nurse understands that  
 a. Tube is blocked      b.  
 c.                              d.  
 58. A patient receive highest oxygen by  
 a. Mask with reservoir bag  
 b. Venturi mask  
 c. Nasal cannula  
 d. Simple mask  
 59. Pepsinogen secretes by  
 a. Chief cells                b. Mast cells  
 c. Beta cells                 d. Parietal cells  
 60. Normal Bone cell is known as  
 a. Osteocyte                b. Osteoblast  
 c. Osteoclast                d. monocyte  
 61. A patient admitted in ward with prior MI attack. He complains for chest pain, first action of nurse is  
 a. Provide nitroglycerin S/L  
 b.  
 c.                              d.  
 62. A patient shifted in operation theatre. Anesthetist instruct to place ECG monitoring and a 3 lead ECG available. What will you do  
 a. Observe with II lead  
 b. Cancel the operation  
 c. Look for a 12 lead ECG  
 d. Shift patient to ward  
 63. A nurse will keep in isolation of a patient with bacterial meningitis for  
 a. 24 hr                      b. 12 hr  
 c. Till culture negative  
 d. After 12 hour of antibiotic given


64. A patient complaining visual disturbance, nurse knows it is the side effect of which drug  
 a. Etambutol                b. Pyrazinamide  
 c. rifampicin                d. Lithium  
 65. Precautions used when caring of a rubella patient  
 a. Droplet                    b. Contact  
 c. Universal                 d. Hand washing  
 66. A women came with complaining of recurrent uterine bleeding, nurse action involves  
 a. Cryotherapy  
 b. Prepare for Pap smear  
 c. Antihemorrhagic drug  
 d. Reassurance  
 67. Effect of vasodilator includes  
 a. Hypotension             b. Hypertension  
 c. Diuresis                  d. Sweating  
 68. Osmolarity of normal saline is  
 a. 134 mEq/L                b. 144 mEq/L  
 c. 154 mEq/L                d. 164 mEq/L  
 69. A unconscious patient brought by their relatives, your priority should be  
 a. Remove secretions and Clean airway  
 b. Provide oxygen  
 c. Give adrenaline  
 d. Call the physician  
 70. The drug used to prevent aspiration and decrease the secretions is  
 a. Atropine                  b. Adrenaline  
 c. Noradrenaline            d. Dopamine  
 71. A patient had sudden reaction minute after a drug given is type of  
 a. Anaphylactic            b. Septic  
 c. Side effect                d. None  
 72. Adrenaline used for dental anesthesia is  
 a. 1:100000                 b. 1:10000  
 c. 1:200000                 d. 1:100  
 73. To increase the effect of local anesthesia use of  
 a. Epinephrine              b. Norepinephrine  
 c. Atropine                  d. Dobutamine  
 74. How a nurse assess the proper functioning of laryngeal nerve after thyroidectomy  
 a. Tell to speak words  
 b. Throat swab for gag reflex  
 c. Provide oral fluids  
 d. Check motor response  
 75. Look at the picture and identify the grip




- a. Fundal grip                b. Lateral grip

- c. Abdominal grip      d. Umbilical grip
76. A client came into OPD and doctor need for assessment of Arterial blood gas analysis. Which artery should use  
 a. Radial                      b. Brachial  
 c. Femoral                      d. Carotid
77. Station is related to  
 a. Ischial spine              b. Iliac spine  
 c.                                  d.
78. Normal color of amniotic fluid is  
 a. Clear                        b. Dark brown  
 c. Greenish                      d. Reddish
79. Most reliable sign to assess fetal condition is  
 a. Decreased movement of fetus  
 b. FHR below 100/min  
 c. FHR above 160/min  
 d. Amount of amniotic fluid
80. pH of vagina become acidic due to  
 a. Bartholin gland  
 b. Sebaceous gland  
 c. Doderlin bacillus  
 d. E.coli
81. Maximum dose of atropine can be given is  
 a. 1 mg                        b. 3 mg  
 c. 5 mg                        d. 10 mg
82. Patient had reaction after blood transfusion. The first action of nurse is  
 a. Stop the transfusion immediately  
 b. Call to the doctor  
 c. Monitor vital signs  
 d. Slow the rate of transfusion
83. A nurse caring patient which receiving TPN in ICU, Nurses action should be  
 a. Discard the TPN bag after 24 hours even some fluids in the bag  
 b. Continue start TPN  
 c. Stop the TPN for some time  
 d. All of the above
84. Edema is due to EXCEPT  
 a. Increased hydrostatic pressure  
 b. Decrease hydrostatic pressure  
 c. Reduced oncotic pressure within blood vessels  
 d. Increased blood vessel wall permeability
85. Universal recipient for blood is  
 a. O +ve                        b. O -ve  
 c. AB +ve                        d. AB -ve
86. Antidote of MgSO<sub>4</sub> is  
 a. Calcium gluconate      b. Potassium chloride  
 c. Protamine sulphate      d. Naloxen
87. Which plane divided the body in anterior and posterior  
 a. Frontal                        b. Saggital  
 c. Parasaggital                d. Transverse
88. Which is true with Kangaroo mother care  
 a. Skin to skin contact, breast feeding, prevention from infection  
 b. Skin to skin contact, breast feeding, early discharge  
 c. Skin to skin contact, early discharge, prevention from infection  
 d. Early discharge, breast feeding, prevention from infection
89. Inferiority v/s Guilt shown in the age of  
 a. 0-1 year                      b. 1-3 year  
 c. 3-6 year                      d. 6-12 year
90. According to Erickson stages of development 4 year old child comes under  
 a. Preschooler                b. Schooler  
 c. Toddler                      d. Infant
91. Worker in ICDS programme is  
 a. Aanganwari  
 b. Village health guide  
 c. Health supervisor  
 d. MPW
92. A nurse keep in mind while giving heparin injection to a patient  
 a. Don't aspirate & don't massage  
 b. Do aspirate & don't massage  
 c. Don't aspirate & do massage  
 d. Do aspirate & do massage
93. Method used to give Haloperidol injection  
 a. Z track                        b. M track  
 c. N track                        d. W track
94. A child suspected to have pin worm, to confirm the nurse should tell the mother to  
 a. Bring 3 stool sample and observe with eyes  
 b. Bring 3 stool sample and send for culture  
 c.  
 d.
95. A nurse teaches the client to collect urine specimen for bacterial infection includes  
 a. Collect midstream of early void  
 b. Collect specimen at any time  
 c. Collect specimen after first void  
 d.
96. A child is not giving his toys to another. This type of play is  
 a. Parallel play                b. Group play  
 c. Social play                      d. All of the above
97. The recorded BP would be  
  
 a. Higher diastolic but lower systolic BP  
 b. Higher than actual BP  
 c. Same as actual BP  
 d. Lower than actual BP
98. Best method of instillation eardrop in infant is to pull ear  
 a. Downward & backward  
 b. Downward & upward  
 c. Upward & backward  
 d. Backward & upward

99. Heart sounds are produced by  
 a. Closure of heart valves  
 b. Contraction of atrium  
 c. Contraction of ventricles  
 d. SA node
100. Common cause of heart valve stenosis in India is  
 a. Rheumatic fever      b. Cardiomegaly  
 c. CAD                      d. Atherosclerosis
101. Polycythemia in children shows the symptom of  
 a. Cardiomegaly          b. Polyuria  
 c. Edema                    d. Flushed face
102. A dull sound heard during chest percussion, it is due to the presence of  
 a. Mass                      b. Fluid  
 c. Bone                      d. Air
103. Which blood vessel carries blood from lungs to heart  
 a. Pulmonary vein        b. Pulmonary artery  
 c. Superior vena cava    d. Aorta
104. While recording oxygen with pulse oxymetry of a newly married patient, the nurse should do  
 a. Remove nailpolish    b.  
 c.                                d.
105. Best intervention in haemorrhagic shock is to provide total  
 a. 1-2 litre fluid          b. 2-3 litre fluid  
 c. 3-4 litre fluid          d. 4-5 litre fluid
106. Best method to check fluid replacement in adult is  
 a. Urine output            b. Blood pressure  
 c. Respiration             d. Pulse pressure
107. To check the skin turgor nurse should do  
 a. Pinch the skin gently and observe  
 b.  
 c.  
 d.
108. A neonate doesn't pass meconium after 24 hours of delivery and neonate suspected for Hirschsprung's disease. The next action should be  
 a. Prepare for surgery  
 b. Insert feeding tube  
 c. Insert rectal tube and give enema of normal saline  
 d. Provide Ryle's tube feeding
109. A patient doesn't pass urine and his kidney works normal. The term used to describe this condition is  
 a. Retention                b. Renal failure  
 c. Oliguria                    d. Anuria
110. Least effective therapy in OCD is  
 a. Exposure                 b. Cognitive therapy  
 c. Medication               d. Physical exercise
111. A client sleep between conversion, describe as  
 a. Sleep apnea              b. Narcolepsy  
 c. Somnambulism          d. Insomnia
112. A patient shows which of the following symptoms of overdose of lithium  
 a. Polyuria and drinking water  
 b. Weight loss  
 c. Leukocytopenia  
 d. Hyporeflexia
113. "Scheduled activity" therapy used for the patient with  
 a. Negative symptoms of schizophrenia  
 b. Depression  
 c. Mania  
 d. OCD
114. Body part goes midline to away is termed as  
 a. Abduction  
 b. Adduction  
 c. Supination  
 d. Flexion
115. All are the risk factors of cardiac disease EXCEPT  
 a. Office job  
 b. Age above 70 years  
 c. Increased HDL level  
 d. Increased LDL level
116. Person's lab value shows cholesterol level 300mg. the nurse advised to the person  
 a. To check lipid profile  
 b.  
 c.  
 d.
117. Hormone responsible for milk ejection is  
 a. Oxytocin                    b. Prolactin  
 c. ADH                        d. Insulin
118. Which position shown in picture  
 a. LOP                         b. LOA  
 c. ROP                         d. ROA
119. An OCD patient becomes good and family stop the treatment before 3 months. Nurse teaches the family about the drug is  
 a. Treatment for long time  
 b. No dependence occurs with the treatment  
 c. After total cure doctor stops the treatment  
 d.
120. A person thinks that somebody follows him because he had secret paper in his briefcase. It is  
 a. Delusion of persecution  
 b. Idea of reference





- c. Idea of suspect  
 d. Delusion of grandeur
121. This is not the effect of cold therapy  
 a. Vasodilation                      b. Vasoconstriction  
 c. Reduce pain                        d. Stop bleeding
122. Pain scale used for the assessment of pain in postoperative patients is  
 a. VAS                                      b. VAP  
 c. AVP                                      d. VSP
123. Shakir tape is used to measure  
 a. Midarm circumference  
 b. Head circumference  
 c. Chest circumference  
 d. Total length
124. While suctioning of the patient placed ET tube in the mouth, suction catheter should insert  
 a. Insert till obstruct the catheter in trachea  
 b. Total length of catheter  
 c. Tip of the nose to ear and ear to chest  
 d.
125. Normal anion gap is  
 a. 1-4 mEq/L                              b. 4-8 mEq/L  
 c. 18-24 mEq/L                        d. 8-16 mEq/L
126. After inspection which technique should be used for proper abdominal assessment  
 a. Auscultation                        b. Palpation  
 c. Observation                         d. Percussion
127. In the third stage of labor uterus became hard. The immediate action of nurse is  
 a. Uterine massage  
 b. Increase oral fluids  
 c. Record temperature  
 d. Shift to ward
128. Which is used first to treat hypovolemic shock  
 a. Plasma                                  b. Fresh blood  
 c. Whole blood                         d. Packed cells
129. A 38 year old lady wants to use spacing method. She is smoking one packet of cigarettes daily. Which method is Contraindication  
 a. Oral contraceptive pills  
 b. Diaphragm  
 c.  
 d.
130. A female used diaphragm, after sex how much time she should kept diaphragm in the uterus  
 a. 6 hours                                  b. 1 hour  
 c. 24 hour                                 d. 12 hour
131. Look at the picture and identify  

- a. Phototherapy                        b. Radiant warmer  
 c. Heater                                 d. X-ray
132. In the following, which is not a sign of depression  
 a. Anhedonia                            b. Irritability  
 c. Restless                                d. Hopeful
133. First case found is known as  
 a. Index case                            b. Primary case  
 c. Secondary case                      d. Tertiary case
134. Agent, host, environment are  
 a. Risk factors  
 b. Infection  
 c. Components of model  
 d. Clinical signs
135. The cause of gastric cancer is  
 a. H. pylorai                            b. Acidic nature  
 c. Less peristalsis                      d. Activity daily living
136. Method used for temperature management in radiant warmer is  
 a. Control mode                        b. Manual mode  
 c. Servo mode                         d. None of them
137. Insulin secretes by  
 a. B-cells of pancreas  
 b. Alpha-cells of pancreas  
 c. Liver  
 d. Gallbladder
138. Increase in number of cells are called  
 a. Hyperplasia                         b. Hypoplasia  
 c. Metaplasia                            d. Dysplasia
139. After birth heart rate of neonate is 100/minute. The immediate next action of nurse is  
 a. Rub the back of neonate & tap stimulation at the soul  
 b. Provide oxygenation  
 c. Start cardio pulmonary resuscitation  
 d.
140. Nursing action to reduce physiological jaundice in a neonate is  
 a. Give IV fluids                        b.  
 c.                                                d.
141. Haemothorex occurs in  
 a. Pleural space                        b. Thoracic cavity  
 c. Peritoneal space                    d. Periosteum
142. Method used to transport the vaccine from one place to another is  
 a. Cold chain  
 b. Vaccine carrier  
 c. Deep fridge  
 d. Ice lined refrigerator
143. Which symptom is not shown in the patient with anxiety  
 a. Hallucination                        b. Nervous behavior  
 c. Worry                                 d. Restlessness
144. Intractable pain is  
 a. Intermittent pain                    b. Intermediate pain  
 c. Constant pain                        d. Wide spreading pain
145. See the picture and record PR interval



- a. 0.16                      b. 0.20  
 c. 0.24                      d. 0.8

146. An alcoholic patient stop the alcohol consumption before 24 hours. He faced tremors, agitation and confusion. What is the diagnosis  
 a. Alcohol dependence syndrome with alcohol withdrawal  
 b.  
 c.  
 d.
147. Which is not finding in dengue patient  
 a. Haemodilution  
 b. Thrombocytopenia  
 c. Increased capillary permeability  
 d. Hypertension
148. A patient gets infection from indwelling catheter. It is an example of  
 a. Iatrogenic infection  
 b. Nosocomial infection  
 c. Droplet infection  
 d. Contamination
149. A diabetic patient put on NBM for CT scan. What the nurse do  
 a. Postponed the insulin dose  
 b.  
 c.  
 d.
150. Before give the RT feeding to a child nurse check the placement of tube for  
 a. Every time before feed  
 b. One time in a day  
 c. After feed  
 d. 3 times in a day
151. Position given to mother for caesarian section  
 a. Supine position with pillow under hip  
 b. Semi fowler position  
 c. Prone position  
 d. Lateral position
152. Impairment in consciousness and cognition for short time is the  
 a. Delirium                      b. Dementia  
 c. LOC                              d. Parkinson
153. Which cell acts as a phagocytic  
 a. Monocyte                      b. Thrombocyte  
 c. Macrophage                      d. RBC
154. After given epidural block in pregnant mother, nurse should check for  
 a. Hypotension                      b. Confusion  
 c. Urine                              d. Tachypnea
155. Process of suction of the baby  
 a. First mouth than nose

- b. Nose than mouth  
 c. Only nose  
 d. Only mouth
156. A farmer spraying the liquid, suddenly he falls down and brought by his relatives in emergency room with low BP, constricted pupil and unconscious state. You will know that these are the symptom of which type of poisoning  
 a. Lead poisoning                      b. Arsenic poisoning  
 c. Phenol poisoning                      d. Latex poisoning

ANSWERS

1	D	41	A	81	B	121	A
2	C	42	A	82	A	122	A
3	D	43	A	83	A	123	A
4	D	44	A	84	B	124	A
5	C	45	A	85	C	125	D
6	B	46	A	86	A	126	A
7	D	47	B	87	A	127	A
8	A	48	A	88	A	128	C
9	C	49	D	89	C	129	A
10	A	50	B	90	A	130	A
11	C	51	A	91	A	131	A
12	C	52	A	92	A	132	D
13	A	53	A	93	A	133	A
14	B	54	A	94	B	134	C
15	A	55	A	95	A	135	A
16	C	56	B	96	A	136	C
17	C	57	A	97	C	137	A
18	C	58	A	98	A	138	A
19	A	59	A	99	A	139	A
20	A	60	A	100	A	140	A
21	B	61	A	101	D	141	A
22	A	62	A	102	A	142	A
23	D	63	A	103	A	143	A
24	B	64	A	104	A	144	C
25	B	65	A	105	C	145	C
26	B	66	B	106	A	146	A
27	B	67	A	107	A	147	D
28	C	68	C	108	A	148	A
29	D	69	A	109	A	149	A
30	C	70	A	110	D	150	A
31	A	71	A	111	B	151	A
32	C	72	C	112	A	152	A
33	C	73	A	113	B	153	C
34	B	74	A	114	A	154	C
35	A	75	A	115	C	155	A
36	A	76	A	116	A	156	B
37	A	77	A	117	A		
38	B	78	A	118	D		
39	A	79	A	119	A		
40	A	80	C	120	A		